



जवाहरलाल नेहरू पोर्ट ट्रस्ट

JAWAHARLAL NEHRU PORT TRUST

ISO 9001 : 2015
ISO 14001 : 2015
ISO 27001 : 2013
OHSAS 18001:2007

पत्तन कार्यालय : प्रशासन भवन, शेवा, नवी मुंबई - 400 707. Post Office : Administrative Bldg., Sheva, Navi Mumbai - 400 707.
मुख्य सतर्कता अधिकारी Chief Vigilance Officer- (022) 2724 2292; मुख्य प्रबंधक (प्रशासन) एवं सचिव Chief Manager (Admn.) & Secy-(022) 2724 2233;
मुख्य प्रबंधक (यातायात) Chief Manager (Traffic) - (022) 2724 2377; मुख्य प्रबंधक (मं.एव.वि.अ) Chief Manager (M&EE) - (022) 2724 2218;
मुख्य प्रबंधक (वित्त) Chief Manager (Fin) - (022) 2724 2241; मुख्य प्रबंधक (प.यो.वि) Chief Manager (PP&D) - (002) 2724 2326
उप-संरक्षक Dy. Conservator (022) 2724 2301; हार्बर मास्टर - (022) 2724 4173.
Website : www.jnport.gov.in E-mail : info@jnport.gov.in

Trade Notice

JNP/T/LBS/JLCBUA/20-21/ 7946

Date: 25.03.2021

Sub: Suspension of Liquid cargo operations through pipelines passing through the pipeline corridor of "JNPT Liquid Chemical Berth User Association" due to unsafe condition of pipeline trestle structure ...reg.


Ref: PPD/DM/TFO/MISC/2020/48, dated 20th January 2021

The pipeline trestle structure carrying pipelines of various tank farm operators from port area to their respective tank farm has deteriorated over period of time and needs strengthening and repairs. This matter has been brought to the notice of JNPT Liquid Chemical Berth Users Association by JNPT from time to time and also discussed during several Safety Committee meetings.

JNPT, vide letter no. PPD/DM/TFO/MISC/2020/48, dated 20th January 2021, has asked LCBUA to submit within seven days of receipt of the letter as to what actions have been taken to make good these pipeline racks and avert any potential accident and provide timeline for the same. However JLCBUA or any of its Member have not taken any action in this regard.

The pipelines passing over these structure are used to handle various hazardous chemicals and other liquid cargoes. The use of deteriorated pipeline trestle structure poses safety concern and may have disastrous consequences if not attended, immediately.

Keeping in view the Safety of Port and cargo operations, JNPT is constrained to suspend the Liquid cargo operations of the members of JNPT Liquid Chemical Berth User Association (JLCBUA) with effect from 16.04.2021, till the necessary repairs are carried out by the Association.


25/03/2021
(Rajan K Gurav)
Chief Manager (Traffic)

To,

- 1) JNPT Liquid Chemical Berth Users Association: For distribution to its members
- 2) All Shipping Lines/Agents
- 3) Manager(Operations), BPCL
- 4) MANSABCHAA/AILBIEA

CC to:

- 1) CM(PP&D)/CM(M&EE)/ CM(A)&Sec./Deputy Conservator/Harbour Master
- 2) Manager(LBS)

Copy to P.S. to Chairman/P.S.to Dy. Chairman